

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE

2800

DISTRICT FOREST RANGER
WASATCH NATIONAL FOREST
6944 SOUTH 30th EAST
SALT LAKE CITY, UTAH 84121

February 13, 1980



Claude R. Nowell
James H. Hilber
Georgia C. Miller
707 Genesee Ave.
Salt Lake City, Utah 84104

Your proposed mining operations as specified in the Notice of Intention to Conduct Operations are approved with the following stipulations over and above the ones you have listed;

1. You will notify this office before the helicopter is used so we may obtain the necessary approval from the Forest Supervisor. As you stated in your "Notice", it will never land.

2. This area falls within the boundaries of the lands set aside in the 1934 Watershed Act for which authority Salt Lake City Water Department operates. Approval must be obtained from them for any operation involving the water or waterway. Please send me a copy of that when obtained.

Good luck with your operation and I would appreciate being informed of your progress or changes.

Sincerely,

for
PHILLIP D. GLASS
District Forest Ranger

NOTICE OF INTENTION TO CONDUCT OPERATIONS

Wasatch National Forest District Ranger
Phil Glass
Salt Lake Ranger District
6944 South 30th East
Salt Lake City, Utah 84121

Pursuant to Rules and Regulations 252.4 (Plan of Operations— Notice of Intent: We mutually submit the following notice of intention to conduct operations within the herein designated Wilderness.

Claude R Nowell, 707 Genesee Ave Salt Lake City, Utah 84104; Res Phone 355-0137, office 533-6288.. James H. Hilber, 953 Genesee Ave # A Salt Lake City, Utah 84104, 328-9424 .. Georgia C Miller 707 Genesee Ave Salt Lake City, Utah 84104, Phone Res 355-0137 Bus 535-7460.. submit this Notice of Intention to Operate and Conduct Mining which might under the District Ranger's opinion cause disturbance of the surface resources of the herein named and discribed area of National Forest and Wilderness area.

We submit the following additional information as to the intent of our operations and further submit to any request the District Ranger would make of us and further to examine us personally as to our intentions and operations.

1. Attached is a map and sketch and legal description showing the location of our operation.
2. We intend to pan for gold in existing streams and operate a small sluice box which can be easily transported by two persons and removed from the wilderness by two persons. No sufficient amount of sand from dry streams or running stream beds will be moved or disturbed to be noticable.

No trees shall be cut, or any foliage, plants, shrubs, shall be disturbed or effected by the operation. All operations shall take place in sandy areas without any plant growth.

- a. A sanitary facility shall be located sufficiently away from all sources of water as to insure no contamination of any water. The sanitary facility shall consist of a small 3' deep hole covered by a seat supported by "dead fallen" timber cut to support the seat. The hole shall be filled frequently to prevent air pollution and any possible accumulation of a deposit of waste.
- b. There shall be no structures built or established. A tent shall be put up for sleeping quarters which will be removed from the area on the backs of the persons operating in the area.
- c. All food will be brought in as dehydrated, with no meat, fish, fowl, in any form allowed in the area, for the operators are all vegetarians. No food shall be taken from any location in the area.
- d. Water shall be taken from the streams for drinking and washing. A special cleanser will be used away from all streams and sources of water which is made from peperment oil and will not pollute any area of the streams or any area of the Wilderness.

- g. No new roads, paths, trails, walkways, or any new access to the area will be constructed or established. All access will be existing trails.
- 4. The activity of operation shall take place from 4/1/80 to 10/1/80.
 - a. Any modifications to this operation will be submitted to the District Ranger prior to there implamentation for his approval.
- 5. There shall be no mechanized equipment used in the operation. No gas, electric motors or any sort taken to the area or any chemicals which could harm the inviroment.
 - b. The utmost care shall be taken to insure the quality of all water in the area.
 - c. All solid waste shall be removed from the area except the afore mentioned sanitary toilet.
 - d. No.wildlife shall be affected by the operation, with no fire arms or any form of such device, such as arrows, spears and anything of the sort will be taken into the area.
 - e. Any and all movement of sand or gravel shall be reclaimed to the surface as to allow no damage to the enviroment or surface.
 - f. All material, tools and things brought in by persons involved in the operation shall be removed from the National Forest and wilderness area on completion of the operation.
 - g. Prevention of fire shall be of utmost concern.
 - h. There shall be an initial lowering of supplies to the area by helecopter at which time the aircraft shall not land or touch the ground in National Forest or the Wilderness area.

Sincerely

Georgia C. Miller
Georgia C Miller

James H. Hilbert
James H. Hilbert

Claude R. Nowell
Claude R Nowell

Signed and submitted February 8, 1980.

AMENDMENT TO
NOTICE OF INTENTION TO CONDUCT OPERATIONS

The following amendment to the original Notice of intention to conduct operation is hereby submitted to the;


Wasatch National Forest District Ranger
Phil Glass
Salt Lake Ranger District
6944 South 30th East
Salt Lake City, Utah 84121

2. a. A sanitary facility shall be transported to the location of the site of operation and mining claim which is herein described as a PORTA POTTI CONTINENTAL. This wilderness vault toilet shall be used by all parties involved in the mining operation.


The sewage shall be carried from the wilderness area and disposed of in a manner in conformance with the Salt Lake County Health Department Rules and Regulations, into an appropriate County Sewer.

There shall be (2) two holding tanks used with the facility to allow the full tank to be taken to the disposal point while the other tank is maintained at the location of the facility.


All precautions necessary to maintain the present quality of the water shall be taken in the use and placement of this sanitary facility.



Claude R. Nowell




James H. Hilbert



Georgia C. Miller

Specifications

Capacity: Holding Tank—5½ gallons (20.82 liters)
Water Supply—2¾ gallons (10.41 liters)
Material: Polyethylene and ABS
Size: 18½" (47 cm) w, 18½" (47 cm) d, 14¾" (37.46 cm) h.



*Legally acceptable for use in vessels not having permanently installed toilets, as determined by U.S. Coast Guard Regulations.

LIMITED 1 YEAR WARRANTY

You have just purchased one of the finest recreational products made. It is warranted subject to the following terms and conditions:

1. Thetford products are warranted to the original owner for a period of one (1) year from the date of purchase. The warranty may provide for repair, exchange of parts or replacement of defective unit as necessary, including labor, upon the condition that the necessary repairs etc. are performed through a Thetford Certified Service Center.
2. Units returned under this warranty will be inspected. Damages which in Thetford's judgment occur from misuse, negligence, accident or any other unreasonable use shall invalidate this warranty. In addition where the product has been tampered with or altered in any way or if the serial number or date of manufacture stamp has been effaced, altered or removed, this warranty is void.
3. Should an owner possess a unit believed to be defective he must insure that said unit or easily removable part is returned to a Thetford Certified Service Center for inspection. The Service Center will determine whether or not the warranty claim is valid. If the Thetford Certified Service Center finds the unit or part defective and is a proper warranty claim, repairs will be made free of charge and returned prepaid to the owner. Your Thetford unit or part may be returned to Thetford Corporation, P.O. Box 1285, Ann Arbor, Michigan, in lieu of returning such to a Thetford Certified Service Center.
4. No other express warranty is given and no person or representative is authorized to make any warranties or assume any liability by words or action which shall constitute a warranty other than what is contained herein. Consult your dealer for your nearest Thetford Certified Service Center.

All chemicals are not created equal.

Aqua Kem® Concentrate Holding Tank Deodorant.

• Fresh pleasing odor • Starts working instantly • Lasts longer • Compatible with all sanitation systems • Liquid concentrate • Biodegradable • Non-corrosive • Septic tank safe • Child-resistant cap • 8-oz. (236.56 cc) and 32-oz. (.946 liters) bottles.

Aqua Soft® Toilet Tissue.

• Soft snowy white tissue • Flushes easily from bowl... disintegrates rapidly in waste holding tanks • Helps prevent messy clogs • Recommended for portable and fixed sanitation systems • Uniquely packaged in reusable drawstring ditty bag • Four rolls per package.

Aqua K-7®.

Cleans and polishes seven surfaces: plastic, vinyl, wood, leather, metal, fiberglass—even Formica™. Just squirt it on, wipe it off and watch it shine. Gives newness to your boat, camper, RV—plus many household items.

Aqua Bowl® Cleaner.


Don't waste your precious vacation cleaning! In just 15 scrub-free minutes, a capful of Aqua Bowl leaves the toilet bowl clean and fresh. Nonabrasive soft scour. Freshens and cleans portable waste holding tanks for reuse and storage. Harmless to plastic parts, mechanical parts and seals. And use it at home. It's perfect for porcelain bowls, too.

Specially formulated by Thetford



THETFORD

CORPORATION
P.O. Box 1285 • Ann Arbor, Michigan 48106



A simple idea that makes a lot of sense.

PORTA POTTI CONTINENTAL™


Nothing else comes close to Porta Potti® in a top-quality completely portable fresh water flush toilet. Because it's 100% self-contained, it never needs a fresh water hookup or permanent holding tank installation. Has capacity for up to 50 uses—enough for a family of four for a long weekend. Needs to be emptied only about half as often as most other portable toilets.

Exclusive Micro Rinse fresh water flushing system rinses entire bowl. Waste storage tank detaches for easy carrying and emptying into any permanent toilet facility. No odors, leaks or spills. Waste holding tank valve closes automatically and seals securely to eliminate odors.

Rugged, trim and smartly designed in decorator colors too beautiful to hide. Smooth, easy-to-clean exterior. Soft, padded top and shaped lid let Continental double as an extra seat or hassock. Ideal for camping, fishing, boats, RVs, van travel, cottages and lodges. Also for spare bedroom or sick room. For capacity, convenience and durability, no other fresh water flush portable toilet comes close to Porta Potti Continental.

PORTA POTTI CONTINENTAL™

(Call outs in blue refer to alternate number for Marine S.S. model.)




Key No.	Part No.	Description
1	09060 09061	Cover Assembly (included in 08297 & 09427)
2	03218	Seat (included in 08297 & 09427)
3	09994	Hinge Pin Kit (included in 08297 & 09427)
4	09997	Cap Package
5	08297 09427	Hopper Assembly
6	12114	Clasp Handle Kit
7	09997	Cap Package
8	08274	Waste Holding Tank
9	08336	Tie Down Kit (included with Marine S.S.)
10	12112	Seal Kit
11	09867	Mechanism Repair Package
12	05147 05354	Screw
13	05977	Bellows Package (included in 08297 & 09427)

Porta Potti Construction

Your new Porta Potti Continental consists of two basic components: the top section which includes the seat, seat cover, bowl and fresh water storage tank; and the lower section which consists of an odor-tight, gas-tight waste holding tank.

The two sections are held together by two tension clasps. Each section has a handle for easy carrying.



Operating Instructions

To prepare for use.

1. Remove the top section (fresh water storage tank) by releasing the two tension clasps (see Fig. A). Set the top section down with the handle and cap facing UP. Remove the cap and fill the tank to the specified level with fresh water (see Fig. B). **DO NOT POUR WASTE HOLDING TANK DEODORANTS INTO THIS SECTION.** Replace cap and tighten securely.
2. Next take the lower section (waste holding tank) and position it so the handle and cap are on top. Remove the cap and pour in 4 oz. (120 cc.) of Aqua-Kem Concentrate to control odors (See Fig. C). Replace and tighten the cap securely. Set the lower section back down and replace the top section engaging the clasps. Your Porta Potti Continental is now ready for use.

CAUTION: Under certain circumstances, such as change in altitude while traveling, a pressure build-up can occur in the waste holding tank. Therefore, you should: (1) never add an odor control chemical to the waste holding tank by pouring directly into the toilet bowl (see Fig. F), and (2) before each use, always check the pressure build-up by depressing the foot pedal with the seat cover closed. Failure to follow these instructions could result in the contents of the bowl blowing back when flushing.

To flush.

With the palm of the hand, depress flushing bellows sharply several times (See Fig. D), causing the water to swirl high up the sides of the bowl for a complete rinsing action. At the same time, depress the foot pedal. This double action will result in the most thorough rinsing action and the most efficient use of water.

To empty the waste holding tank.

When the waste holding tank is full, separate the top section by releasing the two side clasps. The lower section can now be carried like a suitcase to any permanent toilet facility. Prior to emptying, shake the waste holding tank to break-up the solids. Empty as shown in Fig. E.

Maintenance.

To clean toilet bowl, use Aqua Bowl® Cleaner. To protect plastic parts and rubber seals, do not use scouring powder, high acid content or highly concentrated household cleaners.

To clean waste holding tank, pour two capfuls of Aqua Bowl Cleaner and two quarts of water into tank. Replace cap and shake tank before emptying.

Before storage, completely drain unit of all water and waste.

If waste holding tank mechanism blade is not completely sealing, insert the end of a coat hanger or similar object into the sealing groove and remove the foreign material.

Winterizing.

For cold weather storage: completely drain unit of all water.

For cold weather use: pour 1 gallon (3.785 liters) of non-toxic anti-freeze into fresh water storage tank. Then add fresh water to specified level. **CAUTION: Never use automotive-type anti-freeze in fresh water system. It is highly toxic.**

Service and Parts.


See warranty section for service information.

Refer to your local Thetford dealer for parts and service. If it becomes necessary to send parts to a Thetford Certified Service Center for warranty consideration or to contact the factory, please include the following information:

1. Your name and address.
2. The product name, model, serial number and color.
3. The type of recreational vehicle or boat (Brand Name and year) on which the product is used.
4. The reason for return.
5. Proof of date of purchase.

Accessories.

Riser base accessory (Fig. 1) with hold-down brackets allows semi-permanent installation. Attach base to floor. Optional tie-down kit (Fig. 2) secures Continental to the floor. Not required if riser base is used.



NOTICE OF LOCATION OF PLACER CLAIM

To Whom It May Concern:

NOTICE IS HEREBY GIVEN that the undersigned citizens of the United States, over the age of 21 years, have this day located under and in pursuance of and having complied with Sections 2329, 2330, 2331, of the Revised Statutes of the United States, and the laws of the State of UTAH and the local laws and customs and regulations of this district, have this day located the following described Placer Mining Ground, situated in the SALT LAKE COUNTY Mining District

SALT LAKE County, State of UTAH, viz.:

56.7 acres in Section 17 Township 3 South, Range 2 East, Salt Lake Meridian,

Southwest Quarter Section. Discription of claim in Southwest Quarter Section

(Westside) Beginning 1256 feet due North from South West corner of South

West $\frac{1}{4}$ Section 17 Extending due North 933 feet; due South of North West corner

of Southwest $\frac{1}{4}$ Section, Section 17 (Northside) Extending 2800 feet $53^{\circ} 40'$

In a Southeasterly direction, Beginning 451 feet due South of Northwest corner

of Southwest $\frac{1}{4}$ Section of Section 17. (Eastside) Beginning 375 feet due West of

Southeast corner of Southwest $\frac{1}{4}$ Section of Section 17 extending 550 feet due

North. (Southside) From first point extending 2000 feet $36^{\circ} 20'$ in a Northwesterly

direction Beginning 1625 feet due East of Southwest corner of Southwest $\frac{1}{4}$ Section

of Section 17 extending 640 feet due East.

This claim is located upon a valuable deposit, bearing gold and other precious metals, situated in Granite Quartized Sand and Rock

This claim shall be known as the J. C. C.

Placer Mining Claim, and we intend to work the same in accordance with local customs and rules of miners in said mining district, and each of the undersigned have an undivided One Third-----interest therein.

Located this 12th day of February 19 80

NAMES OF LOCATORS

James H. Hilbert

Salt Lake, Utah 84104


953 Genesee Ave #A S. L. C.

Utah 84104


Claude R Nowell 707 Genesee Ave

Salt Lake, Utah 84104

Georgia C. Miller, 707 Genesee Ave



SECTION 17



Township 3S. Range 2E. Meridian Salt Lake

